

NASA TECHNICAL MEMORANDUM

NASA TM X-73331

(NASA-TM-X-73331) NATURAL ENVIRONMENT
DESIGN REQUIREMENTS FOR THE SPACE TELESCOPE
(REVISION A) (NASA) 7 p HC \$3.50 CSCL 14B

N76-33100


Unclass
G3/89 03439

NATURAL ENVIRONMENT DESIGN REQUIREMENTS FOR THE SPACE TELESCOPE (REVISION A)

By George S. West and Jerry J. Wright
Space Sciences Laboratory

September 1976

NASA



*George C. Marshall Space Flight Center
Marshall Space Flight Center, Alabama*

1. REPORT NO. NASA TM X-73331	2. GOVERNMENT ACCESSION NO.	3. RECIPIENT'S CATALOG NO.
4. TITLE AND SUBTITLE Natural Environment Design Requirements for the Space Telescope (Revision A)		5. REPORT DATE September 1976
		6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) George S. West and Jerry J. Wright		8. PERFORMING ORGANIZATION REPORT #
9. PERFORMING ORGANIZATION NAME AND ADDRESS George C. Marshall Space Flight Center Marshall Space Flight Center, Alabama 35812		10. WORK UNIT NO.
		11. CONTRACT OR GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS National Aeronautics and Space Administration Washington, D. C. 20546		13. TYPE OF REPORT & PERIOD COVERED Technical Memorandum
		14. SPONSORING AGENCY CODE
15. SUPPLEMENTARY NOTES Prepared by Space Sciences Laboratory, Science and Engineering, MSFC		
16. ABSTRACT This report presents the natural environment design requirements for the Space Telescope. Because the Space Telescope is to be carried as "cargo" to orbital altitudes in the Space Shuttle bay, orbital environment impacts are the main concern of the report. This document supersedes NASA TM X-73316, July 1976.		
17. KEY WORDS Space Telescope Natural Environment Design Requirements		18. DISTRIBUTION STATEMENT <i>George S. West</i> Unclassified — Unlimited

TABLE OF CONTENTS

	Page
1.0 PURPOSE AND SCOPE	1
2.0 NATURAL ENVIRONMENT — GENERAL	1
3.0 NEUTRAL ATMOSPHERE — ORBITAL ALTITUDES . .	1
4.0 CHARGED PARTICLES	2
5.0 RADIATION	2
5.1 Galactic Cosmic Radiation	2
5.2 Trapped Radiation	3
5.3 Solar Particle Events	3
6.0 METEOROID	3
7.0 ASTRODYNAMIC CONSTANTS	3

Technical Memorandum TM X-73331

NATURAL ENVIRONMENT DESIGN REQUIREMENTS
FOR THE SPACE TELESCOPE (REVISION A)

1.0 PURPOSE AND SCOPE

The definition of natural environment design requirements for Space Telescope missions.

2.0 NATURAL ENVIRONMENT — GENERAL

The natural environment criteria given in this report are consistent with those specified for the Space Shuttle system and will be used for the design of the Space Telescope with respect to radiation, atmospheric characteristics at orbital altitudes, and other pertinent natural environment requirements. Design value requirements of natural environment parameters not specifically defined herein will be obtained from NASA TM X-64757, "Terrestrial Environment (Climatic) Criteria Guidelines for Use in Space Vehicle Development, 1973 Revision," 1973 [1], and NASA TM X-64627, "Space and Planetary Environment Criteria Guidelines for Use in Space Vehicle Development, 1971 Revision," November 15, 1971 [2]. The Space Telescope will be subject to environmental factors peculiar to the Space Shuttle during assembly, checkout, launch, and attainment of orbital positioning prior to removal of the Space Telescope from the Shuttle bay; therefore, appropriate Shuttle documents should be consulted when the Space Telescope is "cargo" in the Space Shuttle.

Natural environmental data required in design or mission analyses for the Space Telescope and not contained in the previously cited documents will be requested from or approved by the Aerospace Environment Division, Space Sciences Laboratory, Marshall Space Flight Center, through the cognizant NASA Contract Representative prior to use.

3.0 NEUTRAL ATMOSPHERE — ORBITAL ALTITUDES

3.1 The Jacchia 1970 Model Atmosphere will be used. See Appendix B, NASA TM X-64627, for details.

3.2 The design steady state values of the orbital neutral atmospheric gas properties shall be calculated using a value of 230 for the mean 10.7 cm solar flux and a geomagnetic index (a_p) of 20.3 with a local time of day of 0900 hr as inputs to the Jacchia 1970 Model Atmosphere.

3.3 The design short-time extreme values of the atmospheric gas properties shall be calculated using a value of 230 for the mean 10.7 cm solar flux, a geomagnetic index (a_p) value of 400, and a local time of day of 1400 hr as inputs to the Jacchia 1970 Model Atmosphere. These orbital neutral atmospheric gas property values represent an estimate of the conditions that may occur for a short period of time (12 to 36 hours) during an extremely large magnetic storm.

4.0 CHARGED PARTICLES

The electron density values and data in Section 2.3 of NASA TM X-64627 shall be used.

5.0 RADIATION

In addition to the following, use Section 2.4 of NASA TM X-64627. The Space Telescope shall be designed to provide the necessary protection to insure that the safe dosage limits for the equipment are not exceeded.

5.1 Galactic Cosmic Radiation. Galactic cosmic radiation consists of low-intensity, extremely high-energy charged particles. These particles (approximately 85 percent protons, 13 percent alphas, and the remainder heavier nuclei) bombard the solar system from all directions. They have energies from 10^8 to 10^{19} electron volts per particle and are encountered essentially everywhere in space. The intensity of this environment in "free space" (e.g., outside the influence of the Earth's magnetic field) is relatively constant (0.2 to 0.4 particles per square centimeter per steradian per second) except during periods of enhanced solar activity when the fluxes of cosmic rays have been observed to decrease due to an increase in the strength of the interplanetary magnetic field which acts as a shield to incoming particles. Near the Earth, cosmic rays are similarly influenced by

the Earth's magnetic field, resulting in a spatial variation in their intensity. The extreme of the galactic cosmic ray environment is at sunspot minimum. The environment is constant and may be scaled down to 24 hours. See Section 2.4.1 of NASA TM X-64627 for additional data on this subject.

5.2 Trapped Radiation. The trapped radiation environment will be taken from the most recent data of NASA SP-3024 (seven volumes) [3] and NSSDC 72-06 [4]. The proton models used are the Ap5, Ap6, and Ap7; and the electron models are AE4 and AE5.

5.2.1 Near-Earth Environment. The radiation belts trapped near the Earth are approximately azimuthally symmetric, with the exception of the South Atlantic anomaly where the radiation belts reach their lowest altitude. The naturally occurring trapped radiation environment in the anomaly region remains fairly constant with time, although it does fluctuate with solar activity. Electrons will be encountered at low altitudes in the anomaly region as well as in the auroral zones.

5.3 Solar Particle Events. Solar particle events are the emission of charged particles from disturbed regions on the Sun during solar flares. They are composed of energetic protons and alpha particles that occur sporadically and last for several days. The free-space particle event model to be used for Space Telescope orbital studies is given in Section 2.4.3.1 of NASA TM X-64627.

6.0 METEOROID

The meteoroid model is defined in Section 2.5.1 of NASA TM X-64627.

7.0 ASTRODYNAMIC CONSTANTS

The values given in Sections 1.6 and 2.7 of NASA TM X-64627 shall be used.

ORIGINAL PAGE IS
OF POOR QUALITY

REFERENCES

1. Daniels, Glenn E., ed.: Terrestrial Environment (Climatic) Criteria Guidelines for Use in Space Vehicle Development, 1973 Revision. NASA TM X-64757, 1973.
2. Smith, R. E., ed.: Space and Planetary Environment Criteria Guidelines for Use in Space Vehicle Development, 1971 Revision. NASA TM X-64627, 1971.
3. Vette, J. I., et al.: Models of the Trapped Radiation Environment. NASA SP-3024, Volumes I - VII, 1966 - 1971.
4. Singley, G. W., and Vette, J. I.: The AE-4 Model of the Outer Radiation Zone Electron Environment, NSSDC 72-06, August 1972.

APPROVAL

NATURAL ENVIRONMENT DESIGN REQUIREMENTS
FOR THE SPACE TELESCOPE (REVISION A)

By George S. West and Jerry J. Wright

The information in this report has been reviewed for security classification. Review of any information concerning Department of Defense or Atomic Energy Commission programs has been made by the MSFC Security Classification Officer. This report, in its entirety, has been determined to be unclassified.

This document has also been reviewed and approved for technical accuracy.

Robert E. Smith

ROBERT E. SMITH
Chief, Orbital and Space Environment Branch

William W. Vaughan

WILLIAM W. VAUGHAN
Chief, Aerospace Environment Division

Charles A. Lundquist

CHARLES A. LUNDQUIST
Director, Space Sciences Laboratory

ORIGINAL PAGE IS
OF POOR QUALITY